

Table of Contents

Part A

	HQ CONTROL DATE	EFFECTIVE DATE	AMENDMENT NUMBER
001 Issuance and Applicability	05/06/2022	05/25/2022	3
002 Definitions and Abbreviations	12/14/2017	05/19/2022	2
003 Ratings and Limitations	04/03/2017	05/25/2022	4
004 Summary of Special Authorizations and Limitations	09/23/1998	01/18/2023	3
007 Designated Persons	09/08/2021	01/17/2023	5
025 Electronic/Digital Recordkeeping System, Electronic/Digital Signature, and Electronic Media	04/03/2017	05/26/2022	4

A001 . Issuance and Applicability

HQ Control: 05/06/2022

HQ Revision: 05f

a. These operations specifications are issued to Corporacion de la Industria Aeronautica Colombiana CIAC S.A., a Repair Station located outside the United States, pursuant to 14 CFR Part 145, § 145.53(a). The repair station certificate holder shall conduct operations in accordance with 14 CFR Part 145 and these operations specifications.

The certificate holder's address:

Fixed Location:

Av. Calle 26 N. 103 - 08 Entrada 1 Interior 2.
El Dorado International Airport
Bogota D.C.
Colombia

Mailing Address:

Av. Calle 26 N. 103 - 08 Entrada 1
Interior 2.
El Dorado International Airport
Bogota D.C.
Colombia

b. The holder of these operations specifications is the holder of certificate number O32Y396C and shall hereafter be referred to as the "certificate holder".

c. These operations specifications are issued as part of this repair station certificate and are in effect as of the date approval is effective. This certificate and these operations specifications shall remain in effect until the expiration date on the issued certificate for a repair station that is located outside the United States unless previously surrendered, suspended, or revoked.

d. The repair station specified on these operation specifications does not perform maintenance and/or an alteration of aircraft and/or aeronautical products under a safety agreement.

e. The certificate holder is authorized to conduct the operations described in subparagraph a under the following other business names:

CIAC S.A.

1. The Certificate Holder applies for the Operations in this paragraph.
2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Allan R McHenry, Principal Maintenance Inspector (FS57)

[1] SUPPORT INFO: Correction of address

[2] EFFECTIVE DATE: 5/25/2022, [3] AMENDMENT #: 3

DATE: 2022.05.25 05:40:50 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

Ivan Hidalgo, General Manager

Date

05-27-2022

A002 . Definitions and Abbreviations

HQ Control: 12/14/2017

HQ Revision: 05d

Unless otherwise defined in these operations specifications, all words, phrases, definitions, and abbreviations have identical meanings to those used in 14 CFR and 49 U.S.C., as cited in Public Law 103-272, as amended. Additionally, the definitions listed below are applicable to operations conducted in accordance with these operations specifications.

BASA	The Bilateral Aviation Safety Agreement (BASA) is an executive agreement concluded between the United States and a foreign country for the purpose of promoting aviation safety; also known as an Agreement for the Promotion of Aviation Safety.
Certificate Holder	In these operations specifications, the term "certificate holder" means the holder of the repair station certificate described in these operations specifications in Part A paragraph A001 and any of its officers, employees, or agents used in the conduct of operations under this certificate.
CAAS	Civil Aviation Authority of Singapore
CFR	Code of Federal Regulations
Class Rating	As used with respect to the certification, ratings, privileges of airframes, powerplants, propellers, radios, instruments, and accessories within a category having similar operating characteristics.
EASA	European Aviation Safety Agency
EASA Accountable Manager	The manager who has corporate authority for ensuring that all maintenance required by the customer can be financed and carried out to the standard required by the EASA full-member Authority.
EU	European Union
Exemption	An authorization that permits an alternate means of compliance with a specific CFR. The exemption must meet the procedural requirements of 14 CFR Part 11.
FOCA	Federal Office of Civil Aviation
FAA Accountable Manager	A person designated by the certificated repair station who is responsible for and has authority over all repair station operations that are conducted under 14 CFR Part 145, including ensuring that the repair station's personnel follow the regulations and serving as the primary contact with the FAA.

Geographic Authorization	Authorization provided to a repair station located outside the United States to perform maintenance support under contract for a U.S. air carrier (or an operator of U.S.- registered aircraft under 14 CFR Part 129) at a location other than the repair station's main facility. A geographic authorization is issued by the FAA to respond to a U.S. air carrier's or Part 129 foreign operator's need for maintenance at a station where the frequency and scope of that maintenance does not warrant permanently staffing and equipping the station for its accomplishment.
Limited Rating	A rating issued to repair stations for the performance of maintenance on particular makes and models of airframes, powerplants, propellers, radios, instruments, accessories, and/or parts.
Limited Ratings - Specialized Services	Rating issued for a special maintenance function when the function is performed in accordance with a specification approved by the Administrator.
Line Maintenance	Any unscheduled maintenance resulting from unforeseen events, or scheduled checks where certain servicing and/or inspections do not require specialized training, equipment, or facilities.
MAG	The Maintenance Annex Guidance (MAG) defines the process that the FAA and EASA undertake in the inspection, findings of compliance certification, and monitoring of repair stations, as well as their joint cooperation in quality assurance and standardization activities in support of the EASA Agreement, Annex 2, Maintenance. The term Maintenance Agreement Guidance (MAG) defines the processes and activities applicable to a specific country under an MIP, and is not associated with the EASA Agreement.
Maintenance	The inspection, overhaul, repair, preservation, and replacement of parts, but excludes preventive maintenance.
U.S./EU Aviation Safety Agreement, Annex 2, Maintenance	Annex 2 covers the reciprocal acceptance of findings of compliance, approvals, documentation and technical assistance regarding approvals and the monitoring of repair stations/maintenance organizations.
MIP	Maintenance Implementation Procedures (MIP) are procedures for implementing the provisions of a BASA that apply to maintenance performed under 14 CFR Part 145, Section 145.53(b).
MOE	A maintenance organization exposition (MOE) pertains to procedural manuals used by maintenance organizations certificated by a foreign country. The MOE along with the FAA Supplement, sets forth the structure and procedures of the repair station to meet the requirements of 14 CFR Part 145 under a MIP.

**Preventive
Maintenance**

As defined in 14 CFR part 1 and part 43 appendix A,
subparagraph (c).

QCM

Quality Control Manual

**Repair Station located
in the United States**

A FAA certificated repair station located in the United States.

**Repair Station located
outside the United
States**

A FAA certificated repair station located outside of the United States.

RSM


Repair Station Manual

1. Issued by the Federal Aviation Administration.
2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Allan R McHenry, Principal Maintenance Inspector (FS57)
[1] SUPPORT INFO: New non-mandatory templates that have been issued by HQ
[2] EFFECTIVE DATE: 5/19/2022, [3] AMENDMENT #: 2
DATE: 2022.05.19 09:37:16 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.



Ivan Hidalgo, General Manager

05-27-2022

Date

A003 . Ratings and Limitations

HQ Control: 04/03/2017

HQ Revision: 01a

The certificate holder is authorized the following Ratings and/or Limitations:

Class Ratings

None authorized

Limited Ratings

<u>Rating</u>	<u>Manufacturer</u>	<u>Make/Model</u>	<u>Limitations</u>
Airframe	From the Capability List, as amended.	From the Capability List, as amended.	As identified in the capability list.
Engines	From the Capability List, as amended.	From the Capability List, as amended.	As identified in the capability list.
Propellers	From the Capability List, as amended.	From the Capability List, as amended.	As identified in the capability list.
Accessories	From the accepted Capability List, as amended.	From the accepted Capability List, as amended.	Limited to mechanical and electric accessories.
Instruments	From the accepted Capability List, as amended.	From the accepted Capability List, as amended.	Limited to electronic instruments.
Radio	From the accepted Capability List, as amended.	From the accepted Capability List, as amended.	Limited to communication and navigation radio.
Nondestructive Inspection, Testing, and Processing	Eddy Current Inspection		Eddy Current process according to ISO 15549, ASTM E 1004, NDTM M-4-10-004 or Manufacturer's NDT manual. Limited to flaw detection and conductivity measurement.
	Radiographic Inspection		Radiography process according to ASTM E 94, ASTM E 999, ASTM E-1032, ASTM E 1079, ASTM E-1254, ASTM E 1390, ASTM E 1742, Radiological Safety Manual M-4-10-003, NDTM M-4-10-004 or Manufacturer's NDT manual. Limited to industrial x-ray radiography with manual development.

<u>Rating</u>	<u>Manufacturer</u>	<u>Make/Model</u>	<u>Limitations</u>
	Ultrasonic Inspection		Ultrasound process according to ASTM E 114, ASTM E 317, ASTM E 587, ASTM E 797, ASTM E 1901, NDTM M-4-10-004 or Manufacturer's NDT manual. Limited to flaw detection and thickness measurement
	Magnetic Particle Inspection		Magnetic particle process according to; ASTM E 709, ASTM E 1444, ASTM E 2297, NDTM M-4-10-004 or Manufacturer's NDT manual. Limited to: Wet bench, contact heads: AC 4000A and FW 5000A. Wet bench, 16" diameter coil (5 turns): AC 1400A and FW 3900A Yoke Y-7, AC and DC currents of 4 amps. Portable 10" diameter coil with 5 turns. Particle type - Fluorescent wet method.
	Liquid Penetrant Inspection		Liquid penetrant process according to ASTM E 165, ASTM E 1209, ASTM E 1210, ASTM E 1219, ASTM E 1417, ASTM E 2297, NDTM M-4-10-004 or Manufacturer's NDT manual. Limited to: Type 1, method A, level 3 or higher (unless otherwise specified in the manufacturer's procedure). Type 1, method C, level 3 or higher (unless otherwise specified in the manufacturer's procedure), the solvents shall be non-halogenated products. Type 1, method D, level 3 or higher (unless the manufacturer's procedure relates otherwise).
	Visual		Visual process according to EN 13018, NDTM M-4-10-004 or Manufacturer's NDT manual. Limited to direct and remote.

Limited Ratings - Specialized Services

<u>Rating</u>	<u>Specifications</u>	<u>Limitations</u>
None Authorized		

1. The Certificate Holder applies for the Operations in this paragraph.
2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Allan R McHenry, Principal Maintenance Inspector (FS57)

[1] SUPPORT INFO: Update of limitations

[2] EFFECTIVE DATE: 5/25/2022, [3] AMENDMENT #: 4

DATE: 2022.05.25 05:42:17 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

Ivan Hidalgo, General Manager

Date

05-27-2022

A004 . Summary of Special Authorizations and Limitations

HQ Control: 09/23/1998

HQ Revision: 010

a. The certificate holder, in accordance with the reference paragraphs, is authorized to:

Use an acceptable electronic recordkeeping system, electronic/digital signature, and/or electronic media.

Reference
Paragraphs

A025

b. The certificate holder is *not* authorized and shall not:

Use Exemptions.

Reference
Paragraphs
A005

Perform maintenance with ratings for repair stations located outside the United States under a Bilateral Aviation Safety Agreement with Maintenance Provisions.

A060

Perform work, including continuous operations, at additional locations other than at its primary fixed location.

A101

Perform safety-sensitive functions requiring a drug and alcohol testing program under 14 CFR part 120

A449

Perform maintenance in accordance with foreign repair station geographic authorizations.

B050

Perform work, excluding continuous operations, at additional locations other than at its primary Fixed Location.

D100

Perform line maintenance for cert. holders conducting operations under Parts 121 and 135 and for foreign carriers/persons operating non-U.S.-registered aircraft in common carriage under Part 129, apart from D100 which authorizes that work away from station.

D107

1. Issued by the Federal Aviation Administration.
2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Robert L Tucker, Principal Avionics Inspector (FS57)
[1] EFFECTIVE DATE: 1/18/2023, [2] AMENDMENT #: 3
DATE: 2023.01.18 07:25:31 -06:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

A handwritten signature in black ink, appearing to read "Anngly Kairuz", written over a horizontal line.

Anngly Kairuz, Manager Quality Control

Jan 18th, 2023

Date

A007 . Designated Persons

HQ Control: 09/08/2021

HQ Revision: 03a

a. The personnel listed in the following table are designated to officially apply for and receive operations specifications for the certificate holder indicated below.

Table 1 – Designated Persons to Apply for and Receive Authorizations

Title	Name	Parts Authorized	Email Address
FAA Accountable Manager. 145 / General Manager	Paez, Juan	A,D	subgenerenciacyac@ciac.gov.co
Chief Inspector / Quality Assurance Director	Russi, Gilma Clemencia	A,D	aseguramiento@ciac.gov.co
Agent for Service / Manager Quality Control	Kairuz, Anngly	A,D	director.calidad@ciac.gov.co

b. The following personnel listed in Table 2 are designated by the certificate holder to receive Information for Operators (InFO) messages for the certificate holder as indicated below. A receipt for the information by an operator or person is not required.

Table 2 – Designated to Receive InFO Messages

Name	Email Address	Telephone No.	Type of Information to Receive
Kairuz, Anngly	director.calidad@ciac.gov.co	+57 3153187386	ALL

1. Issued by the Federal Aviation Administration.
2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Robert L Tucker, Principal Avionics Inspector (FS57)

[1] SUPPORT INFO: Agency requested change

[2] EFFECTIVE DATE: 1/17/2023, [3] AMENDMENT #: 5

DATE: 2023.01.17 10:58:52 -06:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

Gilma C. Russi S. 01/17/2023

Gilma Clemencia Russi, Quality Assurance Director Date

**A025 . Electronic/Digital Recordkeeping System,
Electronic/Digital Signature, and Electronic Media**

HQ Control: 04/03/2017

HQ Revision: 00b

- a. The certificate holder is authorized to use an acceptable electronic/digital recordkeeping system, described and/or referenced in this paragraph (if none, enter N/A.)

Repair Station Manual RSM Section 7

- b. The certificate holder is authorized the use of the following electronic/digital signature procedures (if none, enter "N/A").

N/A

- c. The certificate holder is authorized to use electronic media for the repair station and quality control manuals, if acceptable (if none, enter "N/A").

Repair Station Manual RSM Section 7

1. Issued by the Federal Aviation Administration.
2. These Operations Specifications are approved by direction of the Administrator.




Digitally signed by Allan R McHenry, Principal Maintenance Inspector (FS57)

[1] SUPPORT INFO: Revised to correct entries.

[2] EFFECTIVE DATE: 5/26/2022, [3] AMENDMENT #: 4

DATE: 2022.05.26 15:46:14 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.



Ivan Hidalgo, General Manager

05-27-2022

Date